

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	24348	(coating or composition) near10 (wash\$4 or remov\$4) near10 water	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:08
2	L2	19391	protect\$4 near5 (paint or car or automobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:08
3	L3	133913	acrylic near3 (polymer or resin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:16
4	L4	251371	(sodium or potassium) adj hydroxide or caustic or (ph or neutralizing) adj agent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:08
5	L5	150	1 and 2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:03
6	L6	60	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:12
7	L7	2	("5387434").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:12
8	L8	1591	first near5 (acrylic or polyacrylate) and second near5 (acrylic or polyacrylate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:14
9	L9	17826	(blend or combination or two) near5 (acrylic or polyacrylate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:14
10	L11	718	1 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:33

	L #	Hits	Search Text	DBs	Time Stamp
11	L10	51	1 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:16
12	L12	325	11 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 10:30
13	L13	135	1 and 4	EPO; JPO; DERWENT	2003/07/ 19 10:30
14	L14	17	1 and 9	EPO; JPO; DERWENT	2003/07/ 19 10:35
15	L15	57	water adj (washable or removable) near5 (coating or composition)	EPO; JPO; DERWENT	2003/07/ 19 10:39
16	L16	208	water adj (washable or removable) near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:02
17	L18	69	16 and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:02
18	L19	81	16 and (acrylic or polyacrylate or acrylate or polyacrylic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:03
19	L20	5194	(coating or composition) near10 (wash\$4 or remov\$4) near10 water	USOCR	2003/07/ 19 11:15
20	L21	5743	protect\$4 near5 (paint or car or automobile)	USOCR	2003/07/ 19 11:08
21	L22	8042	acrylic near3 (polymer or resin)	USOCR	2003/07/ 19 11:09
22	L23	1018 64	(sodium or potassium) adj hydroxide or caustic or (ph or neutralizing) adj agent	USOCR	2003/07/ 19 11:09
23	L24	7	20 and 21 and 22 and 23	USOCR	2003/07/ 19 11:09
24	L25	94	20 and 22 and 23	USOCR	2003/07/ 19 11:10

	L #	Hits	Search Text	DBs	Time Stamp
25	L26	2958	3 near10 molecular adj weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:16
26	L27	81	1 and 26 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:18
27	L28	20	2 and 26 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:20
28	L29	32	(viscosity adj controller or thickener) and plasticizer and 26 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 19 11:20

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	1875 75	acrylic near5 (resin or polymer) or polyacrylic or carboset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:23
2	L2	8034 3	caustic or (neutralizing or ph) adj3 agent or neutralizer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:23
3	L3	3931 4	acid adj (number or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:24
4	L4	6260 54	(strip\$4 or remov\$4 or wash\$4) near10 water	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:35
5	L5	1165	1 and 2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:26
6	L6	5249	1 and 2 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:26
7	L7	33	1 and 2 and 4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:27
8	L8	269	1 and 2 and 4.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:33
9	L9	51	1 same 2 same 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:35
10	L11	156	carboset adj2 "525"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:35

	L #	Hits	Search Text	DBs	Time Stamp
11	L12	56	carbaset adj2 "526"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:35
12	L13	18	11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:35
13	L14	2556 1	(coating or composition) near10 (strip\$4 or remov\$4 or wash\$4) near10 water	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:38
14	L15	2300 76	(sodium or potassium or alkali adj metal) adj hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:36
15	L16	2316	1 and (2 or 15) and 14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:39
16	L17	312	16 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:02
17	L19	85	17 and (temporary or stripp\$4 or peelable or removable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:31
18	L20	18	17 and (protect\$3 near5 (paint or car or automobile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:41
19	L21	221	17 not (19 or 20)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:57
20	L22	5144	14 and (temporary or stripp\$4 or peelable or removable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:03

	L #	Hits	Search Text	DBs	Time Stamp
21	L23	2085	22 and (acrylic or polyacrylic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:05
22	L24	976	23 and (2 or 15)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:04
23	L25	5	23 and (2 or 15)	EPO; JPO; DERWENT	2003/07/ 18 13:04
24	L26	87	22 and (acrylic or polyacrylic)	EPO; JPO; DERWENT	2003/07/ 18 13:05
25	L28	4	jp-11104554-\$.did. or jp-07278246-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:29
26	L29	2337	1 and 15 and molecular adj weight and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:30
27	L30	790	1 same molecular adj weight and 15 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:39
28	L31	308	30 and film adj forming	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:30
29	L32	96	31 and (temporary or stripp\$4 or peelable or removable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:34
30	L33	222	30 and (temporary or stripp\$4 or peelable or removable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:41
31	L34	3838	(coating or composition) near10 (strip\$4 or remov\$4 or wash\$4) near10 aqueous near3 solution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:39

	L #	Hits	Search Text	DBs	Time Stamp
32	L35	492	1 and (2 or 15) and 34	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:39
33	L36	80	35 and 3.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:39
34	L38	18	35 and (protect\$3 near5 (paint or car or automobile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:41
35	L37	139	35 and (temporary or stripp\$4 or peelable or removable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:43
36	L39	2	6011107.URPN.	USPAT	2003/07/ 18 13:48
37	L40	6	wo-9301243-\$.did. or wo-9325624-\$.did. or wo-9114722-\$.did. or wo-9001051-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:52
38	FAM ILY	1	1991-353440.NRAN.	DERWENT	2003/07/ 18 13:50
39	L42	5	water adj washable near5 protective adj coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:51
40	L43	2	ep-333146-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 13:52

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	15634	(coating or composition) near5 (wash\$4 or remov\$4 or rins\$4) near5 water	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:53
2	L2	19391	protect\$4 near5 (paint or car or automobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:15
3	L4	39314	acid adj (number or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:15
4	L5	133913	acrylic near3 (polymer or resin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:51
5	L6	212819	(sodium or potassium) adj hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:15
6	L8	18	3 and 4 and 5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:28
7	L9	167	1 and 4 and 5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:19
8	L10	0	6391961.URPN.	USPAT	2003/07/ 18 10:20
9	L11	10	( "4255308"   "4826907" "5143949"   "5194483" "5453459"   "5466536" "5670141"   "5716667" "5719221" "6011107") .PN.	USPAT	2003/07/ 18 10:20



	L #	Hits	Search Text	DBs	Time Stamp
10	L12	18	("4039333"   "4183772" "4562226"   "4600761" "4616074"   "4735995" "4743698"   "5143949" "5191014"   "5260161" "5330788"   "5411760" "5428095"   "5443748" "5453459"   "5567756" "5604282" "5905105").PN.	USPAT	2003/07/ 18 10:21
11	L13	770	(temporary or stripping or stippable) near5 (coating or composition) near10 water	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 11:08
12	L14	2	2 and 13 and 4 and 5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:28
13	L15	7	13 and 4 and 5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:28
14	L16	52	2 and 4 and 5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:29
15	L20	302	1 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:30
16	L21	10	1 and 13 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:30
17	L17	32	3 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:31
18	L18	4	2 and 13 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:43

	L #	Hits	Search Text	DBs	Time Stamp
19	L19	115	2 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:44
20	L22	56	(coating or composition) near5 4 and (19 or 20)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:51
21	L23	120	3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:48
22	L24	20	2 and 13 and 5 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:49
23	L25	127	13 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:49
24	L26	28417	film adj forming near5 (polymer or resin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:51
25	L27	72	(coating or composition) near5 4 and 26 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:52
26	L28	548669	(strip\$5 or wash\$4 or remov\$4) near5 water	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:53
27	L29	45	27 and 28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 10:53
28	L3	386	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 11:07

	L #	Hits	Search Text	DBs	Time Stamp
29	L30	32	3 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 11:07
30	L31	2463	(temporary or stripping or stippable) near5 (coating or composition) and 28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:20
31	L32	56	31 and 4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 11:08
32	L33	48	32 and (acrylic or methacrylic or carboset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 11:09
33	L38	2	("5194483").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:15
34	L39	0	38 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:17
35	L40	2	("5143949").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:17
36	L41	0	40 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:19
37	L44	2	("4826907").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:19
38	L45	1	44 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:20

	L #	Hits	Search Text	DBs	Time Stamp
39	L46	0	44 and 28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:20
40	L47	0	44 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/ 18 12:21